

SAFETY DATA SHEET
Cobalt Teal Blue Shade - 516



According to (EC) No. 1907/2006, as amended

| | | | |
|-----------------------|---------------------|---------------|-------------------|
| Product specification | RS_FP_304013 | Revision Date | 01.08.2018 |
| Version | 1.5 | Print Date | 06.08.2019 |
| Material number | 1306051 | Page | Page 1 of 14 |

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Material number : **1306051**
Trade name : **Cobalt Teal Blue Shade - 516**

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Colouring of plastics, paints and cement.

1.3 Details of the supplier of the safety data sheet

Company : Michael Harding Art Formulas Ltd
Unit K Springvale Ind Est,
Torfaen, Cwmbran, NP44 5BE
Tel No: : +44(0)1633484700
E-mail address : accounts@michaelharding.co.uk

1.4 Emergency telephone number

In-Country Number : +(44)-870-8200418
CHEMTREC Global Number : +(1)-703-527-3887(Call Collect)

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

This document has been developed with the exclusive purpose of complying with the obligation of informing the supply chain according to article 32 of the Reach regulation, because this material is not classified and does not require a material safety data sheet.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

SAFETY DATA SHEET - Cobalt Teal Blue Shade - 516



According to (EC) No. 1907/2006, as amended

| | | | |
|-----------------------|---------------------|---------------|-------------------|
| Product specification | RS_FP_304013 | Revision Date | 01.08.2018 |
| Version | 1.5 | Print Date | 06.08.2019 |
| Material number | 1306051 | Page | Page 2 of 14 |

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Chemical nature : inorganic pigment
inorganic salt

Hazardous components

| Chemical Name | CAS-No. EC-No. Registration number | Classification (REGULATION (EC) No 1272/2008) | Concentration (%) |
|--|---|---|-------------------|
| Substances with a workplace exposure limit : | | | |
| barium sulphate | 7727-43-7 231-784-4 01-2119491274-35- xxxx | | < 10 |

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

- General advice : Do not leave the victim unattended.
- If inhaled : If unconscious place in recovery position and seek medical advice.
If symptoms persist, call a physician.
- In case of skin contact : Take off contaminated clothing and shoes immediately.
Wash off with soap and plenty of water.
- In case of eye contact : Flush eyes with water as a precaution.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Clean mouth with water and drink afterwards plenty of water.
Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.

According to (EC) No. 1907/2006, as amended

| | | | |
|-----------------------|---------------------|---------------|-------------------|
| Product specification | RS_FP_304013 | Revision Date | 01.08.2018 |
| Version | 1.5 | Print Date | 06.08.2019 |
| Material number | 1306051 | Page | Page 3 of 14 |

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : None known.
Risks : None known.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : The first aid procedure should be established in consultation with the doctor responsible for industrial medicine.

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media : High volume water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products : No hazardous combustion products are known

5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

Further information : Standard procedure for chemical fires.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.
Ensure adequate ventilation.
Evacuate personnel to safe areas.

6.2 Environmental precautions

Environmental precautions : No special environmental precautions required.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Pick up and arrange disposal without creating dust.
Sweep up and shovel.
Keep in suitable, closed containers for disposal.

According to (EC) No. 1907/2006, as amended

| | | | |
|-----------------------|---------------------|---------------|-------------------|
| Product specification | RS_FP_304013 | Revision Date | 01.08.2018 |
| Version | 1.5 | Print Date | 06.08.2019 |
| Material number | 1306051 | Page | Page 4 of 14 |

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

- Advice on safe handling : For personal protection see section 8.
No special handling advice required.
Smoking, eating and drinking should be prohibited in the application area.
- Advice on protection against fire and explosion : Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.
- Hygiene measures : General industrial hygiene practice.

7.2 Conditions for safe storage, including any incompatibilities

- Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Electrical installations / working materials must comply with the technological safety standards.
- Advice on common storage : No special restrictions on storage with other products.
No materials to be especially mentioned.
- Other data : Keep in a dry place. No decomposition if stored and applied as directed.

7.3 Specific end use(s)

- Specific use(s) : Consult the technical guidelines for the use of this substance/mixture.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Occupational Exposure Limits

| Components | CAS-No. | Value type (Form of exposure) | Control parameters | Expressed as | Basis |
|-----------------|-----------|----------------------------------|----------------------|--------------|---------|
| barium sulphate | 7727-43-7 | TWA (Inhalable) | 10 mg/m ³ | | GB EH40 |

SAFETY DATA SHEET - Cobalt Teal Blue Shade - 516



According to (EC) No. 1907/2006, as amended

| | | | |
|-----------------------|---------------------|---------------|-------------------|
| Product specification | RS_FP_304013 | Revision Date | 01.08.2018 |
| Version | 1.5 | Print Date | 06.08.2019 |
| Material number | 1306051 | Page | Page 5 of 14 |

| | | | | | |
|---------------------|--|----------------------|----------|--|---------|
| Further information | <p>For the purposes of these limits, respirable dust and inhalable dust are those fractions of airborne dust which will be collected when sampling is undertaken in accordance with the methods described in MDHS14/3 General methods for sampling and gravimetric analysis of respirable and inhalable dust, The COSHH definition of a substance hazardous to health includes dust of any kind when present at a concentration in air equal to or greater than 10 mg.m-3 8-hour TWA of inhalable dust or 4 mg.m-3 8-hour TWA of respirable dust. This means that any dust will be subject to COSHH if people are exposed above these levels. Some dusts have been assigned specific WELs and exposure to these must comply with the appropriate limit., Most industrial dusts contain particles of a wide range of sizes. The behaviour, deposition and fate of any particular particle after entry into the human respiratory system and the body response that it elicits, depend on the nature and size of the particle. HSE distinguishes two size fractions for limit-setting purposes termed 'inhalable' and 'respirable'. Inhalable dust approximates to the fraction of airborne material that enters the nose and mouth during breathing and is therefore available for deposition in the respiratory tract. Respirable dust approximates to the fraction that penetrates to the gas exchange region of the lung. Fuller definitions and explanatory material are given in MDHS14/3., Where dusts contain components that have their own assigned WEL, all the relevant limits should be complied with., Where no specific short-term exposure limit is listed, a figure three times the long-term exposure should be used</p> | | | | |
| | | TWA (Respirable) | 4 mg/m3 | | GB EH40 |
| Further information | <p>For the purposes of these limits, respirable dust and inhalable dust are those fractions of airborne dust which will be collected when sampling is undertaken in accordance with the methods described in MDHS14/3 General methods for sampling and gravimetric analysis of respirable and inhalable dust, The COSHH definition of a substance hazardous to health includes dust of any kind when present at a concentration in air equal to or greater than 10 mg.m-3 8-hour TWA of inhalable dust or 4 mg.m-3 8-hour TWA of respirable dust. This means that any dust will be subject to COSHH if people are exposed above these levels. Some dusts have been assigned specific WELs and exposure to these must comply with the appropriate limit., Most industrial dusts contain particles of a wide range of sizes. The behaviour, deposition and fate of any particular particle after entry into the human respiratory system and the body response that it elicits, depend on the nature and size of the particle. HSE distinguishes two size fractions for limit-setting purposes termed 'inhalable' and 'respirable'. Inhalable dust approximates to the fraction of airborne material that enters the nose and mouth during breathing and is therefore available for deposition in the respiratory tract. Respirable dust approximates to the fraction that penetrates to the gas exchange region of the lung. Fuller definitions and explanatory material are given in MDHS14/3., Where dusts contain components that have their own assigned WEL, all the relevant limits should be complied with., Where no specific short-term exposure limit is listed, a figure three times the long-term exposure should be used</p> | | | | |
| | | TWA (inhalable dust) | 10 mg/m3 | | GB EH40 |

SAFETY DATA SHEET - Cobalt Teal Blue Shade - 516



According to (EC) No. 1907/2006, as amended

| | | | |
|-----------------------|---------------------|---------------|-------------------|
| Product specification | RS_FP_304013 | Revision Date | 01.08.2018 |
| Version | 1.5 | Print Date | 06.08.2019 |
| Material number | 1306051 | Page | Page 6 of 14 |

| | | | | | |
|---------------------|--|-----------------------------|---------------------|--|---------|
| Further information | <p>For the purposes of these limits, respirable dust and inhalable dust are those fractions of airborne dust which will be collected when sampling is undertaken in accordance with the methods described in MDHS14/3 General methods for sampling and gravimetric analysis of respirable and inhalable dust, The COSHH definition of a substance hazardous to health includes dust of any kind when present at a concentration in air equal to or greater than 10 mg.m⁻³ 8-hour TWA of inhalable dust or 4 mg.m⁻³ 8-hour TWA of respirable dust. This means that any dust will be subject to COSHH if people are exposed above these levels. Some dusts have been assigned specific WELs and exposure to these must comply with the appropriate limit., Most industrial dusts contain particles of a wide range of sizes. The behaviour, deposition and fate of any particular particle after entry into the human respiratory system and the body response that it elicits, depend on the nature and size of the particle. HSE distinguishes two size fractions for limit-setting purposes termed 'inhalable' and 'respirable'. Inhalable dust approximates to the fraction of airborne material that enters the nose and mouth during breathing and is therefore available for deposition in the respiratory tract. Respirable dust approximates to the fraction that penetrates to the gas exchange region of the lung. Fuller definitions and explanatory material are given in MDHS14/3., Where dusts contain components that have their own assigned WEL, all the relevant limits should be complied with., Where no specific short-term exposure limit is listed, a figure three times the long-term exposure should be used</p> | | | | |
| | | TWA (Respirable dust) | 4 mg/m ³ | | GB EH40 |
| Further information | <p>For the purposes of these limits, respirable dust and inhalable dust are those fractions of airborne dust which will be collected when sampling is undertaken in accordance with the methods described in MDHS14/3 General methods for sampling and gravimetric analysis of respirable and inhalable dust, The COSHH definition of a substance hazardous to health includes dust of any kind when present at a concentration in air equal to or greater than 10 mg.m⁻³ 8-hour TWA of inhalable dust or 4 mg.m⁻³ 8-hour TWA of respirable dust. This means that any dust will be subject to COSHH if people are exposed above these levels. Some dusts have been assigned specific WELs and exposure to these must comply with the appropriate limit., Most industrial dusts contain particles of a wide range of sizes. The behaviour, deposition and fate of any particular particle after entry into the human respiratory system and the body response that it elicits, depend on the nature and size of the particle. HSE distinguishes two size fractions for limit-setting purposes termed 'inhalable' and 'respirable'. Inhalable dust approximates to the fraction of airborne material that enters the nose and mouth during breathing and is therefore available for deposition in the respiratory tract. Respirable dust approximates to the fraction that penetrates to the gas exchange region of the lung. Fuller definitions and explanatory material are given in MDHS14/3., Where dusts contain components that have their own assigned WEL, all the relevant limits should be complied with., Where no specific short-term exposure limit is listed, a figure three times the long-term exposure should be used</p> | | | | |

SAFETY DATA SHEET - Cobalt Teal Blue Shade - 516



According to (EC) No. 1907/2006, as amended

| | | | |
|-----------------------|---------------------|---------------|-------------------|
| Product specification | RS_FP_304013 | Revision Date | 01.08.2018 |
| Version | 1.5 | Print Date | 06.08.2019 |
| Material number | 1306051 | Page | Page 7 of 14 |

8.2 Exposure controls

Engineering measures

No data available

Personal protective equipment

- Eye protection : Safety glasses
- Hand protection : For prolonged or repeated contact use protective gloves.
- Skin and body protection : Protective suit
- Respiratory protection : No personal respiratory protective equipment normally required.
- Protective measures : Wear suitable protective equipment.
When using do not eat, drink or smoke.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

- Appearance : powder
- Colour : green
- Odour : odourless
- Odour Threshold : No data available
- pH : Not applicable
- Melting point/range : No data available
- Boiling point/boiling range : Not applicable
- Flash point : Not applicable
- Evaporation rate : Not applicable
- Flammability (solid, gas) : No data available
- Burning rate : No data available
- Auto-ignition temperature : No data available
- Upper explosion limit : No data available
- Lower explosion limit : Not applicable

SAFETY DATA SHEET - Cobalt Teal Blue Shade - 516



According to (EC) No. 1907/2006, as amended

| | | | |
|-----------------------|---------------------|---------------|-------------------|
| Product specification | RS_FP_304013 | Revision Date | 01.08.2018 |
| Version | 1.5 | Print Date | 06.08.2019 |
| Material number | 1306051 | Page | Page 8 of 14 |

Vapour pressure : No data available

Relative vapour density : Not applicable

Relative density : No data available

Bulk density : No data available

Solubility(ies)
Water solubility : No data available

Solubility in other solvents : No data available

Partition coefficient: n-
octanol/water : No data available

Decomposition temperature : No data available

Viscosity
Viscosity, dynamic : Not applicable

Viscosity, kinematic : Not applicable

Explosive properties : No data available

Oxidizing properties : Not applicable

9.2 Other information

Refractive index : Not applicable

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

Stable under recommended storage conditions.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

SAFETY DATA SHEET - Cobalt Teal Blue Shade - 516



According to (EC) No. 1907/2006, as amended

| | | | |
|-----------------------|---------------------|---------------|-------------------|
| Product specification | RS_FP_304013 | Revision Date | 01.08.2018 |
| Version | 1.5 | Print Date | 06.08.2019 |
| Material number | 1306051 | Page | Page 9 of 14 |

Materials to avoid : No data available

10.6 Hazardous decomposition products

Stable under normal conditions.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Remarks: No data available

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

Components:

barium sulphate:

Acute oral toxicity : Acute toxicity estimate: 500 mg/kg
Method: Converted acute toxicity point estimate

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information.

Respiratory sensitisation: Not classified based on available information.

Product:

Remarks: No data available

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

According to (EC) No. 1907/2006, as amended

| | | | |
|-----------------------|---------------------|---------------|-------------------|
| Product specification | RS_FP_304013 | Revision Date | 01.08.2018 |
| Version | 1.5 | Print Date | 06.08.2019 |
| Material number | 1306051 | Page | Page 10 of 14 |

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks: No data available

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Product:

Ecotoxicology Assessment

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

12.2 Persistence and degradability

Product:

Biodegradability : Remarks: No data available

Components:

barium sulphate:

Biodegradability : Remarks: No data available

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data available

Components:

barium sulphate:

Bioaccumulation : Remarks: No data available

12.4 Mobility in soil

Product:

Distribution among environmental compartments : Remarks: No data available

SAFETY DATA SHEET - Cobalt Teal Blue Shade - 516



According to (EC) No. 1907/2006, as amended

| | | | |
|-----------------------|---------------------|---------------|-------------------|
| Product specification | RS_FP_304013 | Revision Date | 01.08.2018 |
| Version | 1.5 | Print Date | 06.08.2019 |
| Material number | 1306051 | Page | Page 11 of 14 |

Components:

barium sulphate:

Distribution among environmental compartments : Remarks: No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Other adverse effects

Product:

Additional ecological information : Remarks: No data available
There is no data available for this product.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product : Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging : Empty remaining contents.
Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14: TRANSPORT INFORMATION

14.1 UN number

Not regulated as a dangerous good

14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es)

Not regulated as a dangerous good

14.4 Packing group

Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

According to (EC) No. 1907/2006, as amended

| | | | |
|-----------------------|---------------------|---------------|-------------------|
| Product specification | RS_FP_304013 | Revision Date | 01.08.2018 |
| Version | 1.5 | Print Date | 06.08.2019 |
| Material number | 1306051 | Page | Page 12 of 14 |

14.6 Special precautions for user

Remarks : Not classified as dangerous in the meaning of transport regulations.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

Ship type : N/A
Pollution category : N/A

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors : Neither banned nor restricted

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII) : Neither banned nor restricted

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Neither banned nor restricted

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).

REACH - List of substances subject to authorisation (Annex XIV) : Neither banned nor restricted

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Neither banned nor restricted

Regulation (EC) No 850/2004 on persistent organic pollutants : Neither banned nor restricted

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.
Not applicable

The components of this product are reported in the following inventories:

EINECS (European Union) : On the inventory, or in compliance with the inventory

SWISS (Switzerland) : On the inventory, or in compliance with the inventory

SAFETY DATA SHEET - Cobalt Teal Blue Shade - 516



According to (EC) No. 1907/2006, as amended

| | | | |
|-----------------------|---------------------|---------------|-------------------|
| Product specification | RS_FP_304013 | Revision Date | 01.08.2018 |
| Version | 1.5 | Print Date | 06.08.2019 |
| Material number | 1306051 | Page | Page 13 of 14 |

- TSCA (United States) : On TSCA Inventory
- DSL/NDSL (Canada) : All components of this product are on the Canadian DSL.
- AICS (Australia) : On the inventory, or in compliance with the inventory
- NZioC (New Zealand) : On the inventory, or in compliance with the inventory
- ENCS (Japan) : On the inventory, or in compliance with the inventory
- ISHL (Japan) : On the inventory, or in compliance with the inventory
- KECI (Korea) : On the inventory, or in compliance with the inventory
- PICCS (Philippines) : On the inventory, or in compliance with the inventory
- IECSC (China) : On the inventory, or in compliance with the inventory
- TCSI (Taiwan) : On the inventory, or in compliance with the inventory
- CICR (Turkey) : On the inventory, or in compliance with the inventory
- INSQ (Mexico) : On the inventory, or in compliance with the inventory

15.2 Chemical Safety Assessment

Not applicable

SECTION 16: OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

SAFETY DATA SHEET - Cobalt Teal Blue Shade - 516



According to (EC) No. 1907/2006, as amended

| | | | |
|-----------------------|---------------------|---------------|-------------------|
| Product specification | RS_FP_304013 | Revision Date | 01.08.2018 |
| Version | 1.5 | Print Date | 06.08.2019 |
| Material number | 1306051 | Page | Page 14 of 14 |